

PROPOSED (2/10/04)

Issuance Date

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
()

04-xxxE CAB
File No. 0026-05

Mr. Brad Halvorson
Project Manager
Kiewit Pacific Company
1001 Kamokila Boulevard, Suite 305
Kapolei, Hawaii 96797

Dear Mr. Halvorson:

**Subject: Amendment of Temporary Covered Source Permit (CSP) No. 0026-04-CT
Minor Modification Application No. 0026-05
Kiewit Pacific Company
Replacement of 6' x 16' Vibrating Screen
Located at Various Temporary Sites
Date of Expiration: March 1, 2005**

In accordance with Hawaii Administrative Rules, Chapter 11-60.1, and pursuant to your application for a Minor Modification dated December 23, 2003, the Department of Health hereby amends Temporary Covered Source Permit (CSP) No. 0026-04-CT issued to Kiewit Pacific Company on March 2, 2000. The amendment allows the replacement of the existing Eljay 6' x 16' Vibrating Screen with an identical new JCI 6' x 16' Vibrating Screen.

The following amended permit conditions supersede the corresponding permit conditions of CSP No. 0026-04-CT issued on March 2, 2000:

1. Attachment II, Special Condition No. A.1 - Equipment Description
 - c. One (1) 6' x 16' JCI Vibrating Screen, Model No. 6163-32, Serial No. S031110;
2. Attachment II, Special Condition No. B.1

The 300 TPH Torgeson Impact Crusher and 6' X 16' JCI Vibrating Screen are subject to the provisions of the following federal regulation:

- a. 40 CFR Part 60, New Source Performance Standards (NSPS),
 - i. Subpart A, General Provision; and
 - ii. Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.

The permittee shall comply with all applicable requirements of these standards, including all emission limits, notification, reporting, monitoring, testing and recordkeeping requirements. The major requirements of these standards are detailed in the special conditions of this permit.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161; 40 CFR §60.1, §60.670)¹

PROPOSED (2/10/04)

Mr. Brad Halvorson
Issuance Date
Page 2

All other permit conditions of CSP No. 0026-04-CT issued on March 2, 2000 shall not be affected and shall remain valid.

If there are any questions regarding these matters, please contact Mr. Darin Lum of the Clean Air Branch at (808) 586-4200.

Sincerely,

THOMAS E. ARIZUMI, P.E., CHIEF
Environmental Management Division

DL:lk

c: CAB Enforcement Section